




*Green Seal Certification
applied for*

G2 Green Finish

High Performance Floor Coating



Features

- Zinc-free, phosphate-free, APEO-free and phthalate-free finish
- Ultra-low VOC content - meets California's new 1% standard
- Low odor - ammonia-free
- Multi-surface, all-purpose formula for all maintenance systems
- Easy-to-apply, levels nicely and dries to a high gloss
- Combination seal and finish
- Large area coverage – up to 3,000 sq. ft. per gallon
- Fast-drying – 20 minutes under normal conditions
- Slip-resistant – UL classified

Properties*

Type	Acrylic Emulsion
Form	Opaque Liquid
Odor	Bland
Color	Milky White
Film Clarity	Clear
Weight per Gallon.....	8.61 Lbs.
pH.....	7.1
Floor Solids	20%
Storage Stability	Min. 1 Year
Freeze/Thaw	Do Not Freeze
V.O.C.....	41 gm/l

* Properties are typical and subject to usual manufacturing tolerances

8201FF

© 2009 Essential Industries, Inc. F0409
LT-9000S8201FF

SECTION 1. PRODUCT/MANUFACTURER'S IDENTITY

PRODUCT NAME: G2 GREEN FINISH

PRODUCT I.D. NUMBER (PIN): N.A.

PRODUCT NUMBER: 8201

WHMIS CLASS: D2B

PRODUCT USE: Floor Finish

DOT HAZARD CLASS: Non-Regulated

COMPANY:

Essential Industries, Inc.
P.O. Box 12
Merton, WI 53056-0012

DOT SHIPPING NAME:
N.A.

EMERGENCY PHONE: 800-843-6174

H.M.I.S.

1	HEALTH	HAZARD RATING 4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant
0	FIRE	
0	REACTIVITY	
B	MAXIMUM PERSONAL PROTECTION	

A = Goggles B = Goggles & Gloves C = Goggles, Gloves & Apron

ABBREVIATION KEY: N.A. - Not Applicable N.E. = Not Established N.D. = Not Determined

SECTION 2 - HAZARDOUS INGREDIENTS INFORMATION

<u>HAZARDOUS CHEMICAL IDENTITY</u>	<u>CAS NO.</u>	<u>%</u>	<u>PEL</u>	<u>TLV</u>	<u>LD50</u>	<u>LC50</u>
Water	7732-18-5	40-60	N.E.	N.E.	N.D.	N.D.
Acrylic Copolymer	N.A.	30-40	N.E.	N.E.	N.D.	N.D.
2-(2-ethoxyethoxy)ethanol	111-90-0	1-5	N.E.	N.E.	5500 uL/kg (Rat)	N.D.
(2-methoxymethylethoxy)propanol	34590-94-8	0-1	100 ppm 8 hours	150 ppm 15 min.	5.5 ml/kg (Rat)	N.D.

This mixture does not contain components which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR, Part 372.

SECTION 3 - PHYSICAL DATA

Color: Milky	Boiling Point: 100°C (212°F)	Vapor Pressure: <30 mm of Hg	pH: 7.1
Odor: Bland	Freezing Point: 0°C (32°F)	Vapor Density (Air=1): <1	1% pH: N.A.
Physical State: Liquid	Water/Oil Distribution: N.E.	Evaporation Rate (Water=1): N.E.	Specific Gravity: 1.03 gm/ml
Solubility in Water: Miscible	Odor Threshold: N.E.	VOC Content: 41 gm/l	Weight per Gallon: 8.61 lbs./gal.

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method: N.A.	Autoignition Temperature: N.A.	Extinguishing Media: Use dry chemical or CO ₂ .
Flammable Limits: N.A.	LEL: N.A. UEL: N.A.	Special Fire Fighting Procedures: None.
Hazardous Combustion Products: N.A.		Unusual Fire and Explosion Hazards: None.

SECTION 5 - REACTIVITY DATA

Chemical Stability: Stable.	Hazardous decomposition of By-Products: None known.
Incompatibility (Materials to Avoid): None known.	Hazardous Polymerization: Will not occur.

SECTION 6 - TOXICOLOGICAL PROPERTIES

Routes of Entry: Ingestion.	Toxicologically Synergistic Products: None known.
Sensitization: No.	Medical Conditions Aggravated by Exposure: None known.
EFFECTS OF OVEREXPOSURE (Acute and/or Chronic):	
Eyes: Direct contact may cause irritation.	Carcinogenic Effects: NO carcinogenic effect.
Skin: Prolonged or repeated contact may cause irritation.	Mutagenic Effects: NO mutagenic effect.
Ingestion: May cause gastrointestinal irritation, nausea, diarrhea.	Teratogenic Effects: NO teratogenic effect.
Inhalation: Non-hazardous in the case of inhalation.	Reproductive Toxicity: NO reproductive toxicity effect.

SECTION 7 - PREVENTATIVE AND CONTROL MEASURES

Respiratory Protection: None normally required with adequate ventilation.	Ventilation: Local Exhaust: N.A. Mechanical: N.A.
Protective Gloves: Rubber if needed to protect sensitive skin.	Eye Protection: As required to prevent splashing into eyes.
Protective Clothing and Equipment: As needed to prevent wetting of clothing.	Work and Hygienic Practices: Avoid contact with eyes, skin and clothing.
Storage Requirements: Store in cool, dry area. Follow good housekeeping practices.	Other Requirements: Keep out of reach of children.

Steps to be Taken if Material is Spilled or Released: Collect and reuse if possible. Flush to sewer with large quantities of water if permitted by regulatory authorities or absorb on inert material (sand, clay, etc.) and place into container for proper disposal. Do not allow runoff into public waterways.

Waste Disposal: Dispose of as permitted by all federal, provincial, state and local regulatory authorities.

SECTION 8 - EMERGENCY FIRST AID PROCEDURES

FIRST AID - NOTES TO PHYSICIAN:

Eyes: Flush with a large amount of water for 15 minutes holding eyelids open.

Skin: Wash with mild soap and water.

Ingestion: Give 2-3 large glasses of water. Seek medical attention.

Inhalation: Non-hazardous in the case of inhalation.

Note to Physician: No additional information.

SECTION 9 - PREPARATION INFORMATION

Prepared By: Regulatory Affairs Department

Phone: 262-538-1122

Material Safety Data Sheet

G2 Green Finish



1. Product and company identification

Product name	G2 Green Finish	In case of emergency	1-800-843-6174
Code	8201FF	Validation date	3/10/2009.
Material uses	Floor Finish	Print date	3/10/2009.
Manufacturer	Essential Industries, Inc. P.O. Box 12 Merton, WI 53056-0012 Phone: 262-538-1122	Responsible name	Regulatory Affairs Department

Hazardous Material Information System (U.S.A.)

Health	* 1	HAZARD RATING
Flammability	0	4 = Extreme
Physical hazards	0	3 = High
Personal protection	B	2 = Moderate
		1 = Slight
		0 = Insignificant

A = Goggles B = Goggles & Gloves C = Goggles, Gloves & Apron

2. Hazards identification

Emergency overview CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.
Contains material that may cause target organ damage, based on animal data.

Potential acute health effects due to overexposure

Inhalation	No known significant effects or critical hazards.
Ingestion	No known significant effects or critical hazards.
Skin	No known significant effects or critical hazards.
Eyes	No known significant effects or critical hazards.

Potential chronic health effects due to overexposure

Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Developmental effects	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.

See toxicological information (section 8)

3. Composition/information on ingredients

Name	CAS number	%
2-(2-ethoxyethoxy)ethanol	111-90-0	1 - 5
(2-methoxymethylethoxy)propanol	34590-94-8	0 - 1

SARA 313

Product name	CAS number	Concentration
Form R - Reporting requirements 2-(2-ethoxyethoxy)ethanol	111-90-0	3.8511 - 3.89

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

4. First aid measures

Eye contact	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Notes to physician	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

5. Fire-fighting measures

Flammability of the product	In a fire or if heated, a pressure increase will occur and the container may burst.
Extinguishing media	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Special exposure hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide phosphorus oxides
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Control and preventive measures

Storage	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
----------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Ingredient	Exposure limits
2-(2-ethoxyethoxy)ethanol (2-methoxymethylethoxy)propanol	AIHA WEEL (United States, 1/2008). TWA: 25 ppm 8 hour(s). ACGIH TLV (United States, 1/2008). Absorbed through skin. STEL: 150 ppm 15 minute(s). OSHA PEL (United States, 11/2006). Absorbed through skin. TWA: 100 ppm 8 hour(s).

Personal protection

Respiratory	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Methods for cleaning up

Small spill	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Waste disposal	The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

7. Physical and chemical properties

Physical state	Liquid	Boiling/condensation point	100°C (212°F)
Color	Milky White	Melting/freezing point	0°C (32°F)
Odor	Bland	Vapor pressure	<4 kPa (<30 mm Hg)
VOC	41 (g/l).	Vapor density	<1 [Air = 1]
pH	7.1	Weight per Gallon:	8.61 lbs/gal
1% pH:	Not available	Specific Gravity:	1.03 gm/ml

8. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-(2-ethoxyethoxy)ethanol	LD50 Oral	Rat	5500 uL/kg	-
(2-methoxymethylethoxy)propanol	LD50 Oral	Rat	5.5 ml/kg	-

Conclusion/Summary Not available

Chronic toxicity

Conclusion/Summary Not available

9. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated	-	-	-		-

PG* : Packing group